

MIRRORSTONE

INFRARED HEATING



PRODUCT DATA SHEET

2022

CONTENTS

1. CLASSIC IR PANEL	3
2. NXT GEN IR PANEL	4
3. NEXUS WI-FI PANEL	5
4. FRAMELESS IR PANEL	6
5. LUMA LED IR PANEL	7
6. NEXUS WI-FI IMAGE IR PANEL	8
7. NEXUS WI- FI CUSTOM IMAGE IR PANEL	9
8. QUARTZ GLASS IR PANEL	10
9. MILANO MIRROR IR PANEL	11
10. EDGE-LIT MIRROR IR PANEL	12
11. HELIOS IR BAR HEATER	13
12. AURORA IR BAR HEATER	14



Classic IR Panel

Our Classic White IR Heating Panels are incredibly flexible and versatile. They're suited for both domestic and commercial installations, and can be used in diverse locations, ranging from bathroom walls to office ceilings. Wonderfully adaptable, they're available in three stylish frame options to suit any style of decor.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	White/Silver/Black
Cable	1.5m
Installation	Wall/Ceiling/Floor
Warranty	2 Years (Standard)
Certification	CE/TUN ERP/TUV GS/ROHS/UKCA
Material	FIR Coating
IP Rating	IP54




Available Sizes	Rated Power	Amps	Heated Area
595mm x 295mm	180W	0.78A	2-3m ²
595mm x 595mm	350W	1.52A	5-6m ²
595mm x 995mm	580W	2.52A	8-11m ²
595mm x 1195mm	700W	3.04A	9-13m ²
795mm x 1195mm	900W	3.92A	12-16m ²
995mm x 1195mm	1200W	5.22A	16-22m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



NXT Gen IR Panel

Our NXT Gen panels are one of our most adaptable ranges yet. Suitable for both domestic and commercial installations, the included remote and smart heating features (including open window detection and adaptive start modes) helps you save money without compromising on comfort. Available in plain white, these can be mounted on your walls or ceiling effortlessly.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	White/Silver/Black
Cable	1.5m
Installation	Wall/Ceiling/Floor
Warranty	2 Years (Standard)
Certification	CE/TUV ERP/TUV GS/ROHS/UKCA
Material	FIR Coating
IP Rating	IP54




Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	5-6m ²
595mm x 595mm	350W	1.52A	5-6m ²
995mm x 595mm	580W	2.52A	9-10m ²
595mm x 1195mm	700W	3.04A	11-12m ²
795mm x 1195mm	900W	3.92A	15m ²
995mm x 1195mm	1200W	5.22A	20m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Nexus Wi-Fi Panel

The Nexus range lets you pair your heating with your smartphone for an effortlessly innovative way to heat your home. Their Wi-Fi capacity means you can adjust your heating from anywhere in the world, there's no need to be at home. Available in plain white and multiple sizes, these panels can be used just about anywhere.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	White/Silver/Black
Cable	1.5m
Installation	Wall/Ceiling/Floor
Warranty	2 Years (Standard)
Certification	CE/TUV ERP/TUV GS/ROHS/UKCA
Material	FIR Coating
IP Rating	IP44



Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	5-6m ²
595mm x 595mm	350W	1.52A	5-6m ²
995mm x 595mm	580W	2.52A	9-10m ²
595mm x 1195mm	700W	3.04A	11-12m ²
795mm x 1195mm	900W	3.92A	15m ²
995mm x 1195mm	1200W	5.22A	20m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Frameless IR Panel

Sleek and stylish, our White Frameless Infrared Heating Panels are wonderfully discreet and perfect for installation in diverse locations. From bedrooms at home to commercial office spaces where certain sizes can be used in suspended grid ceilings, they're truly as versatile as they are warm.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	No Frame
Cable	1.5m
Options	Round option Available
Installation	Wall/Ceiling/Floor
Warranty	2 Years (Standard)
Certification	CE/TUV GS/ROHS/UKCA
Material	Powder Coated Aluminium
IP Rating	IP54



Note: only works with hanging kit not suspension kit.

Available Sizes	Rated Power	Amps	Heated Area
595mm x 595mm	350W	1.52A	5-6m ²
595mm x 995mm	580W	2.52A	8-11m ²
595mm x 1195mm	700W	3.04A	9-13m ²
600mm Diameter	280W	1.22A	4-5m ²
800mm Diameter	500W	2.17A	6-9m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Luma LED IR Panel

Equipped with an LED edge light, that can illuminate your surroundings in a range of colour temperatures and brightness levels, the Luma collection offers up a beautiful framing for your panel heater that adds extra style to any space.

Surface Temperature	85°C - 95°C
Voltage	230V
Cable	1.5m
Installation	Wall/Ceiling
Warranty	2 Years (Standard)
Certification	CE/ROHS/UKCA
Colour	White
IP Rating	IP52



Available Sizes	Rated Power	Amps	Heated Area
703mm x 703mm	390W	1.7A	5-6m ²
1103mm x 703mm	640W	2.78A	11-12m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Nexus Wi-Fi Image IR Panel

We have a massive and ever-expanding range of over 250 Image Panels available, allowing users to choose one that reflects their personality. There are many different image types in categories including Art, City Scapes, Landscapes and Animals.

Installing an Image IR Heating Panel is just like putting up a picture in a bedroom or living room, and there are also three great frame finishes to choose from to match the room's colour scheme.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	White/Silver/Black
Cable	1.5m
Installation	Wall
Warranty	2 Years (Standard)
Certification	CE/TUV ERP/TUV GS/ROHS/UKCA
Material	FIR Coating
IP Rating	IP54




Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	5-6m ²
600mm x 600mm	350W	1.52A	5-6m ²
995mm x 595mm	580W	2.52A	9-10m ²
595mm x 1195mm	700W	3.04A	11-12m ²
795mm x 1195mm	900W	3.92A	15m ²
995mm x 1195mm	1200W	5.22A	20m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Nexus Wi-Fi Custom Image IR Panel

There are an infinite number of possibilities and they're only limited by the imagination with our Custom Printed IR Heating Panels. They'll fit into literally any room because we can print any image onto the panel. Why not have a lovely family portrait in the living room, and a cherished holiday snap in the bedroom? With three superb frame finishes to choose from, there's no type of decor these panels wouldn't co-ordinate with.

Surface Temperature	85°C - 95°C
Voltage	230V
Frame	White/Silver/Black
Cable	1.5m
Installation	Wall
Warranty	2 Years (Standard)
Certification	CE/TUV ERP/TUV GS/ROHS/UKCA
Material	FIR Coating
IP Rating	IP54



Available Sizes	Rated Power	Amps	Heated Area
295mm x 1195mm	350W	1.52A	5-6m²
595mm x 595mm	350W	1.52A	5-6m²
995mm x 595mm	580W	2.52A	9-10m²
595mm x 1195mm	700W	3.04A	11-12m²
795mm x 1195mm	900W	3.92A	15m²
995mm x 1195mm	1200W	5.22A	20m²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Quartz Glass IR Panel

Available in stylish black or white, these Glass Infrared Panel Heaters will look amazing when installed on a bedroom wall, and even on the ceiling of a modern office space, where they'll co-ordinate superbly with any type of minimalist decor.

Surface Temperature	85C - 95°C
Voltage	230V
Colour	Black/White
Cable	1.5m
Installation	Wall
Warranty	2 Years (Standard)
Certification	CE/TUV/ROHS/SSA/UKCA
Material	Glass
IP Rating	IP54



UKCA CE RoHS



Available Sizes	Rated Power	Amps	Heated Area
600mm x 800mm	450W	1.96A	5-8m ²
600mm x 1000mm	580W	2.52A	8-11m ²
600mm x 1200mm	700W	3.04A	13-15m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Milano Mirror IR Panel

Ultra innovative, our round and rectangular Mirrored Infrared Heating Panels will be indistinguishable from regular mirrors in all but one respect - they don't steam up. This makes them perfect for bathrooms, conservatories, and even Jacuzzi rooms.

Surface Temperature	85C - 95°C
Voltage	230V
Style	Round/Rectangular
Cable	1.5m
Installation	Wall
Warranty	2 Years (Standard)
Certification	CE/TUV/ROHS/SSA/UKCA
Material	Glass
IP Rating	IP65




Available Sizes	Rated Power	Amps	Heated Area
600mm x 600mm	320W	1.39A	3-6m ²
600mm x 800mm	450W	1.96A	6-8m ²
600mm x 1000mm	580W	2.52A	8-11m ²
600mm x 1200mm	700W	3.04A	9-13m ²
850mm Diameter	320W	1.39A	5-7m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Edge-Lit Mirror IR Panel

Our Mirror IR Panel Heaters With LED Backlights are perfect for a modern space. A lovely choice for any domestic and commercial settings, these are suitable for bathroom or bedroom walls. Protected against splashes of water with an IP65 rating, these mirrors are fit with hidden LEDs for a beautiful glow and available in two sizes.

Surface Temperature	85°C - 95°C
Voltage	230V
Style	Rectangular
Cable	1.5m
Installation	Wall
Warranty	2 Years (Standard)
Certification	CE/TUV/ROHS/SSA/UKCA
Material	Glass
IP Rating	IP65



Available Sizes	Rated Power	Amps	Heated Area
600mm x 1000mm	580W	2.52A	8.11m ²
600mm x 1200mm	700W	3.04A	11-18m ²

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Helios IR Bar Heater

Heat warehouses, shop spaces, offices or even garden areas with one of our Infrared Bar Heaters. Stylish, compact and energy-efficient, they're available in different wattages to heat large spaces. Some even come with Wi-Fi compatibility to enable you to use your smartphone or tablet as remote controllers.

Surface Temperature	200-300°C
Voltage	230V
Options	Standard/WiFi
Cable	1.5m
Installation	Wall/Ceiling
Warranty	2 Years (Standard)
Certification	CE/ROHS/UKCA
WiFi Band	2.4Ghz
Colour	Black
IP Rating	IP54




Available Sizes	Rated Power	Amps	Heated Area	Wi-Fi	Remote	Weight
900 x 150 x 63mm	1200W	5.22A	16-22m ²	No	No	4kg
1200 x 150 x 63mm	1800W	7.83A	23-33m ²	No	No	6kg
1500x 150 x 63mm	2400W	10.43A	31-44m ²	No	No	8kg
1900 x 150 x 63mm	3000W	13.04A	39-55m ²	No	No	10kg
900 x 150 x 63mm	1200W	5.22A	16-22m ²	Yes	Yes	4kg
1200 x 150 x 63mm	1800W	7.83A	23-33m ²	Yes	Yes	6kg
1500 x 150 x 63mm	2400W	10.43A	31-44m ²	Yes	Yes	8kg
1900 x 150 x 63mm	3000W	13.04A	39-55m ²	Yes	Yes	10kg

Note: The 3000W cannot be wired into a 13amp fuse, and cannot go on a standard plug. The minimum fuse should be 16amps.

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.



Aurora IR Bar Heater

Using Near Infrared technology, the Aurora Bar Heaters are available with or without remote controls. Built with Carbon Fibre and sturdy Aluminium, they are a great option for outdoor environments for a larger scope of space to be heated. Technologically advanced, there are also Wi-A options to pair to your smart-phone.

Surface Temperature	200-300°C
Voltage	230V
Options	Standard/WiFi
Cable	1.5m
Installation	Wall/Ceiling
Warranty	2 Years (Standard)
Certification	CE/ROHS/UKCA
WiFi Band	2.4Ghz
Colour	Black
IP Rating	IP65



Available Sizes	Rated Power	Amps	Heated Area	Wi-Fi	Remote	Weight
700mm x 160mm x 80mm	1200W	5.2A	16-22m ²	No	No	2.6kg
970mm x 160mm x 80mm	2400W	10.43A	31-44m ²	No	No	3.2kg
700mm x 160mm x 80mm	1200W	5.2A	16-22m ²	Yes	Yes	2.6kg
970mm x 160mm x 80mm	2400W	10.43A	31-44m ²	Yes	Yes	3.2kg

The suggested heated areas are based on tests conducted in optimal conditions and provide estimations.

The individual requirements for any given room will vary depending on the nature of the heating pattern desired by the user, or the demands of the area.

For more information, please get in touch with your account manager for guidance, who will be able to provide expert advice on individual situations and rooms.

MIRRORSTONE

INFRARED HEATING